

MINUTES OF A SPECIAL CALL MEETING OF THE WILCOX COUNTY COMMISSIONERS HELD ON SEPTEMBER 23, 2021 AT 5:00 P.M. IN THE COMMISSIONERS MEETING ROOM OF THE WILCOX COUNTY COURTHOUSE.

Those present for the meeting were as follows:

Lanier Keene	Chairman
Alfonza Hall	Vice Chairman
Jowan Johnson	Commissioner
Mel Powell	Commissioner
Clay Reid	Commissioner
Paula J. Ball	County Manager/Clerk

Chairman Lanier Keene called the meeting to order.

Commissioner Jowan Johnson gave the invocation.

The first item on the agenda was a plan for the Supplement LMIG Safety Action Plan for Sibbie Road. This plan would make the American Legion/Sibbie Road intersection a four-way stop. Commissioner Clay Reid made a motion to approve the plan. Commissioner Alfonza Hall seconded the motion that carried unanimously.


County Manager Paula Ball presented the digest figures for the 2021 taxes.

The next item of business was continuing discussions on a new EMS station. It was presented that Wayne McGuinty could get the old Tech School in Rochelle for \$10.00. Commissioner Clay Reid made a motion to table a decision until October 5th. Commissioner Jowan Johnson seconded the motion that carried unanimously.

County Manager Paula Ball stated she needed some direction on the 2021 budgets. Budget presentations have been held but a final decision has not been made on the mil rate so we do not know how much revenue will be collected. Many departments say they can remain at the same level as year but some departments have requested increases. The current 2021 budget is maxed out with no room for these increases. Commissioner Clay Reid made a motion to set the 2022 budgets the same as 2021. Budget amendments can be addressed at a later date. Commissioner Mel Powell seconded the motion that carried unanimously.

There being no further business, Commissioner Jowan Johnson made a motion to adjourn.

Commissioner Mel Powell seconded the motion that carried unanimously.



Lanier Keene, Chairman



Paula J. Ball, County Manager/Clerk